

L Number	Hits	Search Text	DB	Time stamp
1	0	710/52.ccls. and 708/209.ccls. and 712/300.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/23 10:24
2	1660	710/52.ccls. 708/209.ccls. 712/300.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/23 10:24
3	97	(710/52.ccls. 708/209.ccls. 712/300.ccls.) and (shift\$3 same mask\$4)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/23 10:24
4	96	((710/52.ccls. 708/209.ccls. 712/300.ccls.) and (shift\$3 same mask\$4)) and (add\$4 sum\$5)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/23 10:25
5	52	((710/52.ccls. 708/209.ccls. 712/300.ccls.) and (shift\$3 same mask\$4)) and (add\$4 sum\$5) and (subtract\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/23 10:26
6	26	((710/52.ccls. 708/209.ccls. 712/300.ccls.) and (shift\$3 same mask\$4)) and (add\$4 sum\$5) and (subtract\$3 with shift\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/23 10:26
-	24077	mpeg or "moving pictures expert group"	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 13:24
-	4168	(mpeg or "moving pictures expert group") and (bit adj stream)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 13:29
-	115	((mpeg or "moving pictures expert group") and (bit adj stream)) and ((circular or circle or round or toroid\$3 or donut or doughnut) adj (buffer or register))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 13:56
-	3130	((circular or circle or round or toroid\$3 or donut or doughnut) adj (buffer or register))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:07
-	465	((circular or circle or round or toroid\$3 or donut or doughnut) adj (buffer or register)) and (bit adj stream)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:08
-	327	((circular or circle or round or toroid\$3 or donut or doughnut) adj (buffer or register)) and (bit adj stream) and ((point or pointer) with (register or buffer))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 14:36
-	175	((circular or circle or round or toroid\$3 or donut or doughnut) adj (buffer or register)) and (bit adj stream) and ((point or pointer) with (register or buffer)) and (bit with read)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 14:38

-	70	(((((circular or circle or round or toroid\$3 or donut or doughnut) adj (buffer or register))) and (bit adj stream)) and ((point or pointer) with (register or buffer))) and (bit with read)) and (bit with (ignor\$ or skip\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 14:39
-	3849	((circular or circle or round or toroid\$3 or donut or doughnut) adj (buffer or register or queue))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:08
-	509	((circular or circle or round or toroid\$3 or donut or doughnut) adj (buffer or register or queue))) and (bit adj stream)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:09
-	5	(bit adj steam) near3 process\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:46
-	8293	header with (point or pointer)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:47
-	3480	(header with (point or pointer)) and (header with (size or length or width))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:48
-	725	((header with (point or pointer)) and (header with (size or length or width))) and (read with bit)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:49
-	211	((header with (point or pointer)) and (header with (size or length or width))) and (read with bit)) and ((ignor\$ or skip\$3) with bit)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:50
-	210	((header with (point or pointer)) and (header with (size or length or width))) and (read with bit)) and ((ignor\$ or skip\$3) with bit)) and add\$4	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:50
-	171	((header with (point or pointer)) and (header with (size or length or width))) and (read with bit)) and ((ignor\$ or skip\$3) with bit)) and add\$4) and shift\$	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/02 15:52
-	34463	header with data	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 13:03
-	2171	header with data with (separat\$3 or cut\$3 or split\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 13:03
-	765	(header with data with (separat\$3 or cut\$3 or split\$3)) and ((point or pointer) with (header or start\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 13:26
-	614	((header with data with (separat\$3 or cut\$3 or split\$3)) and ((point or pointer) with (header or start\$3))) and (buffer or queue or register)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 13:27

-	301	((header with data with (separat\$3 or cut\$3 or split\$3)) and ((point or pointer) with (header or start\$3))) and ((buffer or queue or register)) and ((bit or byte) with read)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 13:28
-	150	((header with data with (separat\$3 or cut\$3 or split\$3)) and ((point or pointer) with (header or start\$3))) and ((buffer or queue or register)) and ((bit or byte) with read)) and ((register or buffer or queue)with ((bit or byte) with read))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 14:34
-	34905	stream near2 process\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 14:34
-	93	(read\$3 or process\$3) near (bit\$1 near2 stream\$1) with (start or header)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 15:26
-	40	(read\$3) near (bit\$1 near2 stream\$1) with (start or header)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 15:28
-	6721	(ignor\$3 or skip\$3 or disregard or bypass) with (header or start)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 15:30
-	28	(ignor\$3 or skip\$3 or disregard or bypass) with (header or start) with (bit near2 stream)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 15:53
-	1151	(macro\$1block or (macro adj block) or MB) near4 (header or pointer or point)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 15:55
-	530	((macro\$1block or (macro adj block) or MB) near4 (header or pointer or point)) and ((bit or byte) with stream)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 15:55
-	100	((macro\$1block or (macro adj block) or MB) near4 (header or pointer or point)) and ((bit or byte) with stream)) and ((ignor\$3 or skip\$3 or disregard or bypass) with (header or start))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 17:03
-	9	((macro\$1block or (macro adj block) or MB) near4 (header or pointer or point)) and ((bit or byte) with stream)) and ((ignor\$3 or skip\$3 or disregard or bypass) with (header or start))) and (stor\$3 or buffer\$3) with stream with header with data	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 17:02
-	727	(stor\$3 or buffer\$3) with stream with header with data	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 17:03
-	77	((stor\$3 or buffer\$3) with stream with header with data) and ((ignor\$3 or skip\$3 or disregard or bypass) with (header or start or begin\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 17:04

-	73	((stor\$3 or buffer\$3) with stream with header with data) and ((ignor\$3 or skip\$3 or disregard or bypass) with (header or start or begin\$4))) and (point or pointer)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/03 17:04
-	57	mpeg-3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 13:44
-	11781	bit near3 mask\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 13:44
-	2652	(bit near3 mask\$3) and bit near2 shift\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/19 14:02
-	344	((bit near3 mask\$3) and bit near2 shift\$3) and header with data	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 13:46
-	2996	(bit near3 mask\$3) and bit near3 shift\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 13:46
-	393	((bit near3 mask\$3) and bit near3 shift\$3) and header with data	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 14:03
-	330	((bit near3 mask\$3) and bit near3 shift\$3) and header with data) and stream	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 14:06
-	305	((bit near3 mask\$3) and bit near3 shift\$3) and header with data) and stream) and word	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 15:20
-	258	((bit near3 mask\$3) and bit near3 shift\$3) and header with data) and stream) and word) and (bit with read)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 15:21
-	274	((bit near3 mask\$3) and bit near3 shift\$3) and header with data) and stream) and word) and (bit with read\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 15:22
-	130	((bit near3 mask\$3) and bit near3 shift\$3) and header with data) and stream) and word) and ((bit with read\$3) same shift\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 15:22
-	30	((bit near3 mask\$3) and bit near3 shift\$3) and header with data) and stream) and word) and ((bit with read\$3) same shift\$3)same mask\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/04 15:22
-	24	((710/52 and shift\$3 and mask\$3) and word with (buffer or register)) and shift\$3 with control\$4	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 11:59

-	54	(710/52 and shift\$3 and mask\$3) and word with (buffer or register)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 11:58
-	108	710/52 and shift\$3 and mask\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 11:54
-	47	(712/300 and shift\$3 and mask\$3) and word with (buffer or register)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 11:53
-	73	712/300 and shift\$3 and mask\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 09:54
-	645	shift\$3 near4 header	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 14:17
-	127	(shift\$3 near4 header) and bit near3 stream	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 14:17
-	127	(shift\$3 near4 header) and (bit near3 stream)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 14:18
-	47	((shift\$3 near4 header) and (bit near3 stream)) and mask\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/05 14:18
-	77	708/209.ccls. and ((point or pointer) with (bit or register or header or start))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/08 15:21
-	203	708/209.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/08 15:19
-	28	((shift\$3 or rotat\$3) same mask\$3) and (((two or "2") with word) with (shift\$3 or rotat\$3)) and ((exclud\$3 or ignor\$3 or skip\$3) with (right or right\$1most))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/08 13:36
-	645	((shift\$3 or rotat\$3) same mask\$3) and (((two or "2") with word) with (shift\$3 or rotat\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/08 13:34
-	3132	((shift\$3 or rotat\$3) same mask\$3) and ((two or "2") with word)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/08 13:34
-	28837	(shift\$3 or rotat\$3) same mask\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/08 13:33

-	13	("4488252" "4512018" "4760517" "4785393" "4807043" "4807175" "4821208" "4829460" "4973956" "5095460" "5170468" "5202962" "5332995").PN.	USPAT	2003/09/08 16:53
-	10	5526296.URPN.	USPAT	2003/09/08 17:04
-	5	"backup register" same advantage	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/09 11:10
-	1172	(shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/19 15:10
-	1	((shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))) and (back\$4up near5 (updat\$4 refresh\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/19 14:12
-	70	((shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))) and back\$4up	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/19 14:32
-	736	((shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))) and register	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/19 15:11
-	400	((shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))) and register) and ((shift\$4 exclud\$3 or ignor\$3 or skip\$3) with (right or right\$1most))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/19 15:12
-	268	((shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))) and register) and ((shift\$4 exclud\$3 or ignor\$3 or skip\$3) with (right or right\$1most))) and ((sav\$4 stor\$4) near5 (shift\$4 exclud\$3 or ignor\$3 or skip\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/19 15:16
-	268	((shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))) and register) and ((shift\$4 exclud\$3 or ignor\$3 or skip\$3) with (right or right\$1most))) and ((sav\$4 stor\$4) near5 (shift\$4 exclud\$3 or ignor\$3 or skip\$3))) and ((mask\$4) near5 (shift\$4 exclud\$3 or ignor\$3 or skip\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/19 15:17
-	168	((shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))) and register) and ((shift\$4 exclud\$3 or ignor\$3 or skip\$3) with (right or right\$1most))) and ((sav\$4 stor\$4) near5 (shift\$4 exclud\$3 or ignor\$3 or skip\$3))) and ((mask\$4) near5 (shifted exclud\$3 or ignor\$3 or skip\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 10:10
-	0	((shift\$4 near5 mask\$4) and (mask\$4 near5 (stor\$4 sav\$4))) and register) and ((shift\$4 exclud\$3 or ignor\$3 or skip\$3) with (right or right\$1most))) and ((sav\$4 stor\$4) near5 (shift\$4 exclud\$3 or ignor\$3 or skip\$3))) and ((mask\$4) near5 (shifted exclud\$3 or ignor\$3 or skip\$3))) and (stor\$4 sav\$4) near3 (un\$1wanted ("not" adj wanted))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 10:38
-	881	(stor\$4 sav\$4) near3 (un\$1wanted ("not" adj wanted))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 10:38

-	761825	((stor\$4 sav\$4) near3 (un\$1wanted ("not" adj wanted))) same bit word	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 10:38
-	63	((stor\$4 sav\$4) near3 (un\$1wanted ("not" adj wanted))) same (bit word)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 10:38
-	20	((stor\$4 sav\$4) near3 (un\$1wanted ("not" adj wanted))) same (bit word) and shift\$4	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 10:38
-	8	((stor\$4 sav\$4) near3 (un\$1wanted ("not" adj wanted))) same (bit word) and shift\$4 and mask\$4	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 11:06
-	2862	(store near3 shift\$3) with (data bit)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 11:07
-	12842	(stor\$3 near3 shift\$3) with (data bit)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 11:07
-	742	((stor\$3 near3 shift\$3) with (data bit)) and (shift\$3 same mask\$4)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 11:08
-	0	((stor\$3 near3 shift\$3) with (data bit)) and (shift\$3 same mask\$4) and ((stor\$4 sav\$4) near3 (un\$1wanted ("not" adj wanted)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 15:50
-	33323	second near3 mask\$4	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 15:50
-	1366	(second near3 mask\$4) same shift\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 15:51
-	147	((second near3 mask\$4) same shift\$3) same (sav\$3 stor\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 15:52
-	111	((second near3 mask\$4) same shift\$3) same (sav\$3 stor\$3) and bit	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/20 15:52
-	111	((second near3 mask\$4) same shift\$3) same (sav\$3 stor\$3) and (bit byte)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/23 10:23